# Test Report (SVHC)

**No.:** XMNEC26001575905 **Date:** Jun 26, 2026 

Client Name: Delong Carbon Black Industry (Henan) Co., Ltd.

Client Address: Changxingji Village, Mazhuang Township, Yanjin County

Sample Name: CARBON BLACK

The above sample(s) and information were provided by the client.

---

| | |
|---|---|
| SGS Job No.: | XMP26-003228 |
| Sample Receiving Date: | Jun 22, 2026 |
| Testing Period: | Jun 22, 2026 ~ Jun 26, 2026 |
| Test Requested: | As requested by client, SVHC in Candidate List screening is performed according to:<br>(i) Two hundred and fifty-three (253) substances in the Candidate List of Substances of Very High Concern (SVHC) for authorization published by European Chemicals Agency (ECHA) on and before Feb 4, 2026 regarding Regulation (EC) No 1907/2006 concerning the REACH.<br>As requested by client, Potential SVHC screening is performed according to:<br>(i) One (1) potential Substances of Very High Concern (SVHC) in the Identification ongoing. |
| Test Method(s): | Please refer to next page(s). |
| Test Result(s): | Please refer to next page(s). |

**Summary:**

| | |
|---|---|
| According to the specified scope and evaluation screening, the results of 253 SVHC in the Candidate List are ≤ 0.1% (w/w) in the submitted sample. | Pass |
| According to the specified scope and evaluation screening, the results of 1 Potential SVHC are ≤ 0.1% (w/w) in the submitted sample. | Pass |

Signed for and on behalf of
SGS CSTC Standards Technical Services Co., Ltd. Xiamen Branch

Sunny Lu
Approved Signatory

Scan to see the report

292DAF85

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No. 31 Xianghong Road, Xiang'An Torch Industrial Zone, Xiamen, Fujian Province, China 361101 t (86-592) 5766995 www.sgsgroup.com.cn
中国·福建·厦门市火炬(翔安)产业区翔虹路31号 邮编: 361101 t (86-592) 5766995 sgs.china@sgs.com

**Remark :**

1. The chemical analysis of specified SVHC is performed by means of currently available analytical techniques against the following SVHC related documents published by ECHA:
   http://echa.europa.eu/web/guest/candidate-list-table
   These lists are under evaluation by ECHA and may subject to change in the future.
2. REACH obligation:
   2.1 Concerning article(s):
   Communication:
   Article 33 of Regulation (EC) No 1907/2006 requires supplier of an article containing a substance meeting the criteria in Article 57 and identified in accordance with Article 59(1) in a concentration above 0.1% weight by weight (w/w) shall provide the recipient of the article with sufficient information, available to the supplier, to allow safe use of the article including, as a minimum, the name of that substance in the Candidate List.

   Notification:
   In accordance with Regulation (EC) No 1907/2006, any EU producer or importer of articles shall notify ECHA, in accordance with paragraph 4 of Article 7, if a substance meets the criteria in Article 57 and is identified in accordance with Article 59(1) of the Regulation, if (a) the substance in the Candidate List is present in those articles in quantities totaling over one tonne per producer or importer per year; and (b) the substance in the Candidate List is present in those articles above a concentration of 0.1% weight by weight (w/w).

   Companies supplying articles containing substances of very high concern (SVHCs) on the Candidate List in a concentration above 0.1% weight by weight (w/w) on the EU market must comply with the Waste Framework Directive 2008/98/EC requirement and submit SCIP notifications on these articles to ECHA, as from 5 January 2021.

   2.2 Concerning material(s):
   Test results in this report are based on the tested sample. This report refers to testing result of tested sample submitted as homogenous material(s). In case such material is being used to compose an article, the results indicated in this report may not represent SVHC concentration in such article. If this report refers to testing result of composite material group by equal weight proportion, the material in each composite test group may come from more than one article.

   If the sample is a substance or mixture, and it directly exports to EU, client has the obligation to comply with the supply chain communication obligation under Article 31 of Regulation (EC) No. 1907/2006 and the conditions of Authorization of substance of very high concern included in the Annex XIV of the Regulation (EC) No. 1907/2006.

   2.3 Concerning substance and preparation:
   If a SVHC is found over 0.1% (w/w) and/or the specific concentration limit which is set in Regulation (EC) No 1272/2008 and its amendments, client is suggested to prepare a Safety Data Sheet (SDS) against the SVHC to comply with the supply chain communication obligation under Regulation (EC) No 1907/2006, in which:
   - a substance that is classified as hazardous under the CLP Regulation (EC) No 1272/2008.
   - a mixture that is classified as hazardous under the CLP Regulation (EC) No 1272/2008, when it contains a substance with concentration equal to, or greater than the classification limit as set in Regulation (EC) No. 1272/2008; or
   - a mixture is not classified as hazardous under the CLP Regulation (EC) No 1272/2008, but contains either:

检验检测专用章 Inspection & Testing Services
SGS-CSTC Standards Technical Services Co., Ltd. Xiamen Branch

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

(a) a substance posing human health or environmental hazards in an individual concentration of ≥ 1 % by weight for mixtures that are solid or liquids (i.e., non-gaseous mixtures) or ≥ 0.2 % by volume for gaseous mixtures; or
(b) a substance that is PBT, or vPvB in an individual concentration of ≥ 0.1 % by weight for mixtures that are solid or liquids (i.e., non-gaseous mixtures); or
(c) a substance on the SVHC candidate list (for reasons other than those listed above), in an individual concentration of ≥ 0.1 % by weight for non-gaseous mixtures; or
(d) a substance for which there are Europe-wide workplace exposure limits

3. If a SVHC is found over the reporting limit, client is suggested to identify the composite component which contains the SVHC and the exact concentration of the SVHC by requesting further quantitative analysis from the laboratory.

**Test Sample:**

**Testing Group:**

| Test Result ID | Description | Test Part ID | SGS Sample ID |
|---|---|---|---|
| 001 | Black powder | A1 | XMN26-0015759-0001.C001 |

**Test Method:**
With reference to SGS In-House method, analysis was performed by ICP-OES, UV-VIS, GC-MS, HPLC-DAD/MS and Colorimetric Method.

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Xiamen Branch
No. 31 Xianghong Road, Xiang'An Torch Industrial Zone, Xiamen, Fujian Province, China 361101 t (86-592) 5766995 www.sgsgroup.com.cn
中国·福建·厦门市火炬(翔安)产业区翔虹路31号 邮编: 361101 t (86-592) 5766995 sgs.china@sgs.com

**Result of SVHC in the Candidate List**

| Batch | Substance Name | CAS No. | 001 Concentration (%) | RL (%) |
|---|---|---|---|---|
| - | All SVHC in Candidate list | - | ND | - |

**Result of Potential SVHC**

| Batch | Substance Name | CAS No. | 001 Concentration (%) | RL (%) |
|---|---|---|---|---|
| / | All Potential SVHC | - | ND | - |

**Notes:**

(1) The table above only shows detected SVHC, and SVHC that below RL are not reported. Please refer to Appendix for the full list of tested SVHC.

(2) RL = Reporting Limit (Test data will be shown if it ≥ RL. RL is not regulatory limit.)
ND = Not detected (lower than RL), ND is denoted on the SVHC substance.

(3) * The result is based on the calculation of selected element(s) under the worst-case scenario, and the evaluation of substance usage and material properties.
** The result is based on the calculation of selected marker(s) and to the worst-case scenario.
Calculated concentration of boric compounds are based on water extractive boron detected by ICP-OES.
Calculated concentration of Barium diboron tetraoxide is based on water extractive boron and barium detected by ICP-OES.
RL = 0.005% is evaluated for element (i.e. cobalt, arsenic, lead, chromium, chromium (VI), aluminum, zirconium, boron, strontium, zinc, antimony, titanium, barium and cadmium respectively), except molybdenum RL=0.0005%, boron RL=0.0025% (only for Lead bis(tetrafluoroborate)), fluorine RL=0.050%.

(4) § The substance is proposed for the identification as SVHC only where it contains Michler's ketone (CAS Number: 90-94-8) or Michler's base (CAS Number: 101-61-1) ≥0.1% (w/w).

(5) / = Potential SVHC

Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (*w*=0) stated in ILAC-G8:09/2019.

SGS-CSTC Standards Technical Services Co., Ltd. Xiamen Branch 检验检测专用章 Inspection & Testing Services

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No. 31 Xianghong Road, Xiang'An Torch Industrial Zone, Xiamen, Fujian Province, China 361101 t (86-592) 5766995 www.sgsgroup.com.cn
中国·福建·厦门市火炬(翔安)产业区翔虹路31号 邮编: 361101 t (86-592) 5766995 sgs.china@sgs.com

**Appendix:**

Full list of tested SVHC

| Batch | No. | Substance Name | CAS No. | RL (%) |
|---|---|---|---|---|
| I | 1 | 4,4'-Diaminodiphenylmethane(MDA) | 101-77-9 | 0.050 |
| I | 2 | 5-tert-butyl-2,4,6-trinitro-m-xylene (musk xylene) | 81-15-2 | 0.050 |
| I | 3 | Alkanes, C10-13, chloro (Short Chain Chlorinated Paraffins) | 85535-84-8 | 0.050 |
| I | 4 | Anthracene | 120-12-7 | 0.050 |
| I | 5 | Benzyl butyl phthalate (BBP) | 85-68-7 | 0.050 |
| I | 6 | Bis(2-ethylhexyl)phthalate (DEHP) | 117-81-7 | 0.050 |
| I | 7 | Bis(tributyltin)oxide (TBTO) | 56-35-9 | 0.050 |
| I | 8 | Cobalt dichloride* | 7646-79-9 | 0.005 |
| I | 9 | Diarsenic pentaoxide* | 1303-28-2 | 0.005 |
| I | 10 | Diarsenic trioxide* | 1327-53-3 | 0.005 |
| I | 11 | Dibutyl phthalate (DBP) | 84-74-2 | 0.050 |
| I | 12 | Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified (α-HBCDD, β-HBCDD, γ-HBCDD) | - | 0.050 |
| I | 13 | Lead hydrogen arsenate* | 7784-40-9 | 0.005 |
| I | 14 | Sodium dichromate* | 10588-01-9 /7789-12-0 | 0.005 |
| I | 15 | Triethyl arsenate* | 15606-95-8 | 0.005 |
| II | 16 | 2,4-Dinitrotoluene | 121-14-2 | 0.050 |
| II | 17 | Anthracene oil** | 90640-80-5 | 0.050 |
| II | 18 | Anthracene oil, anthracene paste** | 90640-81-6 | 0.050 |
| II | 19 | Anthracene oil, anthracene paste, anthracene fraction** | 91995-15-2 | 0.050 |
| II | 20 | Anthracene oil, anthracene paste, distn. Lights** | 91995-17-4 | 0.050 |
| II | 21 | Anthracene oil, anthracene-low** | 90640-82-7 | 0.050 |
| II | 22 | Diisobutyl phthalate | 84-69-5 | 0.050 |
| II | 23 | Lead chromate* | 7758-97-6 | 0.005 |
| II | 24 | Lead chromate molybdate sulphate red (C.I. Pigment Red 104)* | 12656-85-8 | 0.005 |
| II | 25 | Lead sulfochromate yellow (C.I. Pigment Yellow 34)* | 1344-37-2 | 0.005 |
| II | 26 | Pitch, coal tar, high temp. ** | 65996-93-2 | 0.050 |
| II | 27 | Tris(2-chloroethyl)phosphate | 115-96-8 | 0.050 |
| II | 28 | Acrylamide | 79-06-1 | 0.050 |
| III | 29 | Ammonium dichromate* | 7789-09-5 | 0.005 |
| III | 30 | Boric acid* | - | 0.005 |
| III | 31 | Disodium tetraborate, anhydrous* | 12179-04-3 /1303-96-4 /1330-43-4 | 0.005 |
| III | 32 | Potassium chromate* | 7789-00-6 | 0.005 |
| III | 33 | Potassium dichromate* | 7778-50-9 | 0.005 |
| III | 34 | Sodium chromate* | 7775-11-3 | 0.005 |
| III | 35 | Tetraboron disodium heptaoxide, hydrate* | 12267-73-1 | 0.005 |

SGS-CSTC Standards Technical Services Co., Ltd. Xiamen Branch

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No. 31 Xianghong Road, Xiang'An Torch Industrial Zone, Xiamen, Fujian Province, China 361101 t (86-592) 5766995 www.sgsgroup.com.cn
中国·福建·厦门市火炬(翔安)产业区翔虹路31号 邮编: 361101 t (86-592) 5766995 sgs.china@sgs.com

| Batch | No. | Substance Name | CAS No. | RL (%) |
|---|---|---|---|---|
| III | 36 | Trichloroethylene | 79-01-6 | 0.050 |
| IV | 37 | 2-Ethoxyethanol | 110-80-5 | 0.050 |
| IV | 38 | 2-Methoxyethanol | 109-86-4 | 0.050 |
| IV | 39 | Chromic acid, Oligomers of chromic acid and dichromic acid, Dichromic acid* | - | 0.005 |
| IV | 40 | Chromium trioxide* | 1333-82-0 | 0.005 |
| IV | 41 | Cobalt(II) carbonate* | 513-79-1 | 0.005 |
| IV | 42 | Cobalt(II) diacetate* | 71-48-7 | 0.005 |
| IV | 43 | Cobalt(II) dinitrate* | 10141-05-6 | 0.005 |
| IV | 44 | Cobalt(II) sulphate* | 10124-43-3 | 0.005 |
| V | 45 | 1,2,3-trichloropropane | 96-18-4 | 0.050 |
| V | 46 | 1,2-Benzenedicarboxylic acid, di-C6-8-branched alkyl esters, C7-rich | 71888-89-6 | 0.050 |
| V | 47 | 1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters | 68515-42-4 | 0.050 |
| V | 48 | 1-methyl-2-pyrrolidone | 872-50-4 | 0.050 |
| V | 49 | 2-ethoxyethyl acetate | 111-15-9 | 0.050 |
| V | 50 | Hydrazine | 302-01-2 /7803-57-8 | 0.050 |
| V | 51 | strontium chromate* | 7789-06-2 | 0.005 |
| VI | 52 | 1,2-Dichloroethane | 107-06-2 | 0.050 |
| VI | 53 | 2,2'-dichloro-4,4'-methylenedianiline | 101-14-4 | 0.050 |
| VI | 54 | 2-Methoxyaniline; o-Anisidine | 90-04-0 | 0.050 |
| VI | 55 | 4-(1,1,3,3-tetramethylbutyl)phenol | 140-66-9 | 0.050 |
| VI | 56 | Aluminosilicate Refractory Ceramic Fibres* | - | 0.005 |
| VI | 57 | Arsenic acid* | 7778-39-4 | 0.005 |
| VI | 58 | Bis(2-methoxyethyl) ether | 111-96-6 | 0.050 |
| VI | 59 | Bis(2-methoxyethyl) phthalate | 117-82-8 | 0.050 |
| VI | 60 | Calcium arsenate* | 7778-44-1 | 0.005 |
| VI | 61 | Dichromium tris(chromate)* | 24613-89-6 | 0.005 |
| VI | 62 | Formaldehyde, oligomeric reaction products with aniline | 25214-70-4 | 0.050 |
| VI | 63 | Lead diazide, Lead azide* | 13424-46-9 | 0.005 |
| VI | 64 | Lead dipicrate* | 6477-64-1 | 0.005 |
| VI | 65 | Lead styphnate* | 15245-44-0 | 0.005 |
| VI | 66 | N,N-dimethylacetamide | 127-19-5 | 0.050 |
| VI | 67 | Pentazinc chromate octahydroxide* | 49663-84-5 | 0.005 |
| VI | 68 | Phenolphthalein | 77-09-8 | 0.050 |
| VI | 69 | Potassium hydroxyoctaoxodizincatedichromate* | 11103-86-9 | 0.005 |
| VI | 70 | Trilead diarsenate* | 3687-31-8 | 0.005 |
| VI | 71 | Zirconia Aluminosilicate Refractory Ceramic Fibres* | - | 0.005 |
| VII | 72 | [4-[[4-anilino-1-naphthyl][4-(dimethylamino)phenyl]methylene]cyclohexa-2,5-dien-1-ylidene] dimethylammonium chloride (C.I. Basic Blue 26)§ | 2580-56-5 | 0.050 |

检验检测专用章 Inspection & Testing Services
SGS-CSTC Standards Technical Services Co., Ltd. Xiamen Branch

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No. 31 Xianghong Road, Xiang'An Torch Industrial Zone, Xiamen, Fujian Province, China 361101 t (86-592) 5766995 www.sgsgroup.com.cn
中国·福建·厦门市火炬(翔安)产业区翔虹路31号 邮编: 361101 t (86-592) 5766995 sgs.china@sgs.com

| Batch | No. | Substance Name | CAS No. | RL (%) |
|---|---|---|---|---|
| VII | 73 | [4-[4,4'-bis(dimethylamino) benzhydrylidene]cyclohexa-2,5-dien-1-ylidene]dimethylammonium chloride (C.I. Basic Violet 3) § | 548-62-9 | 0.050 |
| VII | 74 | 1,2-bis(2-methoxyethoxy)ethane (TEGDME; triglyme) | 112-49-2 | 0.050 |
| VII | 75 | 1,2-dimethoxyethane; ethylene glycol dimethyl ether (EGDME) | 110-71-4 | 0.050 |
| VII | 76 | 4,4'-bis(dimethylamino) benzophenone (Michler's Ketone) | 90-94-8 | 0.050 |
| VII | 77 | 4,4'-bis(dimethylamino)-4''-(methylamino)trityl alcohol§ | 561-41-1 | 0.050 |
| VII | 78 | Diboron trioxide* | 1303-86-2 | 0.005 |
| VII | 79 | Formamide | 75-12-7 | 0.050 |
| VII | 80 | Lead(II) bis(methanesulfonate)* | 17570-76-2 | 0.005 |
| VII | 81 | N,N,N',N'-tetramethyl-4,4'-methylenedianiline (Michler's base) | 101-61-1 | 0.050 |
| VII | 82 | TGIC (1,3,5-tris(oxiranylmethyl)-1,3,5-triazine-2,4,6(1H,3H,5H)-trione) | 2451-62-9 | 0.050 |
| VII | 83 | α,α-Bis[4-(dimethylamino)phenyl]-4 (phenylamino)naphthalene-1-methanol (C.I. Solvent Blue 4) § | 6786-83-0 | 0.050 |
| VII | 84 | β-TGIC (1,3,5-tris[(2S and 2R)-2,3-epoxypropyl]-1,3,5-triazine-2,4,6-(1H,3H,5H)-trione) | 59653-74-6 | 0.050 |
| VIII | 85 | [Phthalato(2-)]dioxotrilead* | 69011-06-9 | 0.005 |
| VIII | 86 | 1,2-Benzenedicarboxylic acid, dipentylester, branched and linear | 84777-06-0 | 0.050 |
| VIII | 87 | 1,2-Diethoxyethane | 629-14-1 | 0.050 |
| VIII | 88 | 1-Bromopropane | 106-94-5 | 0.050 |
| VIII | 89 | 3-Ethyl-2-methyl-2-(3-methylbutyl)-1,3-oxazolidine | 143860-04-2 | 0.050 |
| VIII | 90 | 4-(1,1,3,3-tetramethylbutyl)phenol, ethoxylated | - | 0.050 |
| VIII | 91 | 4,4'-Methylenedi-o-toluidine | 838-88-0 | 0.050 |
| VIII | 92 | 4,4'-Oxydianiline and its salts | 101-80-4 | 0.050 |
| VIII | 93 | 4-Aminoazobenzene | 60-09-3 | 0.050 |
| VIII | 94 | 4-Methyl-m-phenylenediamine | 95-80-7 | 0.050 |
| VIII | 95 | 4-Nonylphenol, branched and linear | - | 0.050 |
| VIII | 96 | 6-Methoxy-m-toluidine | 120-71-8 | 0.050 |
| VIII | 97 | Acetic acid, lead salt, basic* | 51404-69-4 | 0.005 |
| VIII | 98 | Biphenyl-4-ylamine | 92-67-1 | 0.050 |
| VIII | 99 | Decabromodiphenyl ether (DecaBDE) | 1163-19-5 | 0.050 |
| VIII | 100 | Cyclohexane-1,2-dicarboxylic anhydride, cis-cyclohexane-1,2-dicarboxylic anhydride, trans-cyclohexane-1,2-dicarboxylic anhydride | - | 0.050 |
| VIII | 101 | Diazene-1,2-dicarboxamide (C,C'-azodi(formamide)) | 123-77-3 | 0.050 |

SGS-CSTC Standards Technical Services Co., Ltd. Xiamen Branch

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No. 31 Xianghong Road, Xiang'An Torch Industrial Zone, Xiamen, Fujian Province, China 361101 t (86-592) 5766995 www.sgsgroup.com.cn
中国·福建·厦门市火炬(翔安)产业区翔虹路31号 邮编: 361101 t (86-592) 5766995 sgs.china@sgs.com

| Batch | No. | Substance Name | CAS No. | RL (%) |
|---|---|---|---|---|
| VIII | 102 | Dibutyltin dichloride (DBTC) | 683-18-1 | 0.050 |
| VIII | 103 | Diethyl sulphate | 64-67-5 | 0.050 |
| VIII | 104 | Diisopentylphthalate | 605-50-5 | 0.050 |
| VIII | 105 | Dimethyl sulphate | 77-78-1 | 0.050 |
| VIII | 106 | Dinoseb | 88-85-7 | 0.050 |
| VIII | 107 | Dioxobis(stearato)trilead* | 12578-12-0 | 0.005 |
| VIII | 108 | Fatty acids, C16-18, lead salts* | 91031-62-8 | 0.005 |
| VIII | 109 | Furan | 110-00-9 | 0.050 |
| VIII | 110 | Henicosafluoroundecanoic acid | 2058-94-8 | 0.050 |
| VIII | 111 | Heptacosafluorotetradecanoic acid | 376-06-7 | 0.050 |
| VIII | 112 | Hexahydromethylphthalic anhydride, Hexahydro-4-methylphthalic anhydride, Hexahydro-1-methylphthalic anhydride, Hexahydro-3-methylphthalic anhydride | - | 0.050 |
| VIII | 113 | Lead bis(tetrafluoroborate)* | 13814-96-5 | 0.005 |
| VIII | 114 | Lead cyanamidate* | 20837-86-9 | 0.005 |
| VIII | 115 | Lead dinitrate* | 10099-74-8 | 0.005 |
| VIII | 116 | Lead monoxide* | 1317-36-8 | 0.005 |
| VIII | 117 | Lead oxide sulfate* | 12036-76-9 | 0.005 |
| VIII | 118 | Lead tetroxide (orange lead)* | 1314-41-6 | 0.005 |
| VIII | 119 | Lead titanium trioxide* | 12060-00-3 | 0.005 |
| VIII | 120 | Lead titanium zirconium oxide* | 12626-81-2 | 0.005 |
| VIII | 121 | Methoxyacetic acid | 625-45-6 | 0.050 |
| VIII | 122 | Methyloxirane (Propylene oxide) | 75-56-9 | 0.050 |
| VIII | 123 | N,N-Dimethylformamide | 68-12-2 | 0.050 |
| VIII | 124 | N-Methylacetamide | 79-16-3 | 0.050 |
| VIII | 125 | N-Pentyl-isopentylphthalate | 776297-69-9 | 0.050 |
| VIII | 126 | o-Aminoazotoluene | 97-56-3 | 0.050 |
| VIII | 127 | o-Toluidine | 95-53-4 | 0.050 |
| VIII | 128 | Pentacosafluorotridecanoic acid | 72629-94-8 | 0.050 |
| VIII | 129 | Pentalead tetraoxide sulphate* | 12065-90-6 | 0.005 |
| VIII | 130 | Pyrochlore, antimony lead yellow* | 8012-00-8 | 0.005 |
| VIII | 131 | Silicic acid, barium salt, lead-doped* | 68784-75-8 | 0.005 |
| VIII | 132 | Silicic acid, lead salt* | 11120-22-2 | 0.005 |
| VIII | 133 | Sulfurous acid, lead salt, dibasic* | 62229-08-7 | 0.005 |
| VIII | 134 | Tetraethyllead* | 78-00-2 | 0.005 |
| VIII | 135 | Tetralead trioxide sulphate* | 12202-17-4 | 0.005 |
| VIII | 136 | Tricosafluorododecanoic acid | 307-55-1 | 0.050 |
| VIII | 137 | Trilead bis(carbonate)dihydroxide (basic lead carbonate)* | 1319-46-6 | 0.005 |
| VIII | 138 | Trilead dioxide phosphonate* | 12141-20-7 | 0.005 |
| IX | 139 | 4-Nonylphenol, branched and linear, ethoxylated | - | 0.050 |
| IX | 140 | Ammonium pentadecafluorooctanoate (APFO)** | 3825-26-1 | 0.050 |
| IX | 141 | Cadmium oxide* | 1306-19-0 | 0.005 |
| IX | 142 | Cadmium | 7440-43-9 | 0.005 |

检验检测专用章 Inspection & Testing Services
SGS-CSTC Standards Technical Services Co., Ltd. Xiamen Branch

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No. 31 Xianghong Road, Xiang'An Torch Industrial Zone, Xiamen, Fujian Province, China 361101 t (86-592) 5766995 www.sgsgroup.com.cn
中国·福建·厦门市火炬(翔安)产业区翔虹路31号 邮编: 361101 t (86-592) 5766995 sgs.china@sgs.com

| Batch | No. | Substance Name | CAS No. | RL (%) |
|---|---|---|---|---|
| IX | 143 | Dipentyl phthalate (DPP) | 131-18-0 | 0.050 |
| IX | 144 | Pentadecafluorooctanoic acid (PFOA) | 335-67-1 | 0.050 |
| X | 145 | Cadmium sulphide* | 1306-23-6 | 0.005 |
| X | 146 | Dihexyl phthalate | 84-75-3 | 0.050 |
| X | 147 | Disodium 3,3'-[[1,1'-biphenyl]-4,4'-diylbis(azo)]bis(4-aminonaphthalene-1-sulphonate) (C.I. Direct Red 28) | 573-58-0 | 0.050 |
| X | 148 | Disodium 4-amino-3-[[4'-[(2,4-diaminophenyl)azo][1,1'-biphenyl]-4-yl]azo] -5-hydroxy-6-(phenylazo)naphthalene-2,7-disulphonate (C.I. Direct Black 38) | 1937-37-7 | 0.050 |
| X | 149 | Imidazolidine-2-thione; (2-imidazoline-2-thiol) | 96-45-7 | 0.050 |
| X | 150 | Lead di(acetate)* | 301-04-2 | 0.005 |
| X | 151 | Trixylyl phosphate | 25155-23-1 | 0.050 |
| XI | 152 | 1,2-Benzenedicarboxylic acid, dihexyl ester, branched and linear | 68515-50-4 | 0.050 |
| XI | 153 | Cadmium chloride* | 10108-64-2 | 0.005 |
| XI | 154 | Sodium perborate; perboric acid, sodium salt* | - | 0.005 |
| XI | 155 | Sodium peroxometaborate* | 7632-04-4 | 0.005 |
| XII | 156 | 2-(2H-benzotriazol-2-yl)-4,6-ditertpentylphenol (UV-328) | 25973-55-1 | 0.050 |
| XII | 157 | 2-benzotriazol-2-yl-4,6-di-tert-butylphenol (UV-320) | 3846-71-7 | 0.050 |
| XII | 158 | 2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (DOTE) | 15571-58-1 | 0.050 |
| XII | 159 | Cadmium fluoride* | 7790-79-6 | 0.005 |
| XII | 160 | Cadmium sulphate* | 10124-36-4 /31119-53-6 | 0.005 |
| XII | 161 | Reaction mass of 2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate & 2-ethylhexyl 10-ethyl-4-[[2-[(2-ethylhexyl)oxy]-2-oxoethyl]thio]-4-octyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (reaction mass of DOTE & MOTE) | - | 0.050 |
| XIII | 162 | 1,2-benzenedicarboxylic acid, di-C6-10-alkyl esters; 1,2-benzenedicarboxylic acid, mixed decyl and hexyl and octyl diesters with ≥ 0.3% of dihexyl phthalate | - | 0.050 |
| XIII | 163 | 5-sec-butyl-2-(2,4-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [1], 5-sec-butyl-2-(4,6-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [2] [covering any of the individual isomers of [1] and [2] or any combination thereof] | - | 0.050 |
| XIV | 164 | 1,3-propanesultone | 1120-71-4 | 0.050 |
| XIV | 165 | 2,4-di-tert-butyl-6-(5-chlorobenzotriazol-2-yl) phenol (UV-327) | 3864-99-1 | 0.050 |

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Xiamen Branch
No. 31 Xianghong Road, Xiang'An Torch Industrial Zone, Xiamen, Fujian Province, China 361101 t (86-592) 5766995 www.sgsgroup.com.cn
中国·福建·厦门市火炬(翔安)产业区翔虹路31号 邮编: 361101 t (86-592) 5766995 sgs.china@sgs.com

| Batch | No. | Substance Name | CAS No. | RL (%) |
|---|---|---|---|---|
| XIV | 166 | 2-(2H-benzotriazol-2-yl)-4-(tert-butyl)-6-(sec-butyl) phenol (UV-350) | 36437-37-3 | 0.050 |
| XIV | 167 | Nitrobenzene | 98-95-3 | 0.050 |
| XIV | 168 | Perfluorononan-1-oic-acid and its sodium and ammonium salts | - | 0.050 |
| XV | 169 | Benzo[def]chrysene (Benzo[a]pyrene) | 50-32-8 | 0.050 |
| XVI | 170 | 4,4'-isopropylidenediphenol (bisphenol A) | 80-05-7 | 0.050 |
| XVI | 171 | 4-Heptylphenol, branched and linear | - | 0.050 |
| XVI | 172 | Nonadecafluorodecanoic acid (PFDA) and its sodium and ammonium salts | - | 0.050 |
| XVI | 173 | p-(1,1-dimethylpropyl)phenol | 80-46-6 | 0.050 |
| XVII | 174 | Perfluorohexane-1-sulphonic acid and its salts | - | 0.050 |
| XVIII | 175 | 1,6,7,8,9,14,15,16,17,17,18,18-Dodecachloropentacyclo[12.2.1.16,9.02,13.05,10]octadeca-7,15-diene ("Dechlorane Plus"™) [covering any of its individual anti- and syn-isomers or any combination thereof] | - | 0.050 |
| XVIII | 176 | Benz[a]anthracene | 56-55-3 | 0.050 |
| XVIII | 177 | Cadmium nitrate* | 10325-94-7 | 0.005 |
| XVIII | 178 | Cadmium carbonate* | 513-78-0 | 0.005 |
| XVIII | 179 | Cadmium hydroxide* | 21041-95-2 | 0.005 |
| XVIII | 180 | Chrysene | 218-01-9 | 0.050 |
| XVIII | 181 | Reaction products of 1,3,4-thiadiazolidine-2,5-dithione, formaldehyde and 4-heptylphenol, branched and linear (RP-HP) [with ≥0.1% w/w 4-heptylphenol, branched and linear] | - | 0.050 |
| XIX | 182 | Benzene-1,2,4-tricarboxylic acid 1,2 anhydride (trimellitic anhydride) (TMA) | 552-30-7 | 0.050 |
| XIX | 183 | Benzo[ghi]perylene | 191-24-2 | 0.050 |
| XIX | 184 | Decamethylcyclopentasiloxane (D5) | 541-02-6 | 0.050 |
| XIX | 185 | Dicyclohexyl phthalate (DCHP) | 84-61-7 | 0.050 |
| XIX | 186 | Disodium octaborate* | 12008-41-2 | 0.005 |
| XIX | 187 | Dodecamethylcyclohexasiloxane (D6) | 540-97-6 | 0.050 |
| XIX | 188 | Ethylenediamine (EDA) | 107-15-3 | 0.050 |
| XIX | 189 | Lead | 7439-92-1 | 0.005 |
| XIX | 190 | Octamethylcyclotetrasiloxane (D4) | 556-67-2 | 0.050 |
| XIX | 191 | Terphenyl, hydrogenated | 61788-32-7 | 0.050 |
| XX | 192 | 1,7,7-trimethyl-3-(phenylmethylene)bicyclo[2.2.1]heptan-2-one (3-benzylidene camphor) | 15087-24-8 | 0.050 |
| XX | 193 | 2,2-bis(4'-hydroxyphenyl)-4-methylpentane | 6807-17-6 | 0.050 |
| XX | 194 | Benzo[k]fluoranthene | 207-08-9 | 0.050 |
| XX | 195 | Fluoranthene | 206-44-0 | 0.050 |
| XX | 196 | Phenanthrene | 85-01-8 | 0.050 |
| XX | 197 | Pyrene | 129-00-0 | 0.050 |
| XXI | 198 | 2,3,3,3-tetrafluoro-2-(heptafluoropropoxy)propionic acid, its salts | - | 0.050 |

SGS-CSTC Standards Technical Services Co., Ltd. Xiamen Branch 检验检测专用章 Inspection & Testing Services

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No. 31 Xianghong Road, Xiang'An Torch Industrial Zone, Xiamen, Fujian Province, China 361101 t (86-592) 5766995 www.sgsgroup.com.cn
中国·福建·厦门市火炬(翔安)产业区翔虹路31号 邮编: 361101 t (86-592) 5766995 sgs.china@sgs.com

| Batch | No. | Substance Name | CAS No. | RL (%) |
|---|---|---|---|---|
| | | and its acyl halides (covering any of their individual isomers and combinations thereof) | | |
| XXI | 199 | 2-methoxyethyl acetate | 110-49-6 | 0.050 |
| XXI | 200 | 4-tert-butylphenol (PTBP) | 98-54-4 | 0.050 |
| XXI | 201 | Tris(4-nonylphenyl, branched and linear) phosphite (TNPP) | - | 0.050 |
| XXII | 202 | 2-benzyl-2-dimethylamino-4'-morpholinobutyrophenone | 119313-12-1 | 0.050 |
| XXII | 203 | 2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one | 71868-10-5 | 0.050 |
| XXII | 204 | Diisohexyl phthalate | 71850-09-4 | 0.050 |
| XXII | 205 | Perfluorobutane sulfonic acid (PFBS) and its salts | - | 0.050 |
| XXIII | 206 | 1-vinylimidazole | 1072-63-5 | 0.050 |
| XXIII | 207 | 2-methylimidazole | 693-98-1 | 0.050 |
| XXIII | 208 | Butyl 4-hydroxybenzoate | 94-26-8 | 0.050 |
| XXIII | 209 | Dibutylbis(pentane-2,4-dionato-O,O')tin** | 22673-19-4 | 0.050 |
| XXIV | 210 | bis(2-(2-methoxyethoxy)ethyl) ether | 143-24-8 | 0.050 |
| XXIV | 211 | Dioctyltin dilaurate, stannane, dioctyl-, bis(coco acyloxy) derivs., and any other stannane, dioctyl-, bis(fatty acyloxy) derivs. wherein C12 is the predominant carbon number of the fatty acyloxy moiety** | - | 0.050 |
| XXV | 212 | 1,4-Dioxane | 123-91-1 | 0.050 |
| XXV | 213 | 2,2-bis(bromomethyl)propane1,3-diol (BMP); 2,2-dimethylpropan-1-ol, tribromo derivative/3-bromo-2,2-bis(bromomethyl)-1-propanol (TBNPA); 2,3-dibromo-1-propanol (2,3-DBPA) | - | 0.050 |
| XXV | 214 | 2-(4-tert-butylbenzyl)propionaldehyde and its individual stereoisomers | - | 0.050 |
| XXV | 215 | 4,4'-(1-methylpropylidene)bisphenol; (bisphenol B) | 77-40-7 | 0.050 |
| XXV | 216 | Glutaral | 111-30-8 | 0.050 |
| XXV | 217 | Medium-chain chlorinated paraffins (MCCP) [UVCB substances consisting of more than or equal to 80% linear chloroalkanes with carbon chain lengths within the range from C14 to C17] | - | 0.050 |
| XXV | 218 | Orthoboric acid, sodium salt* | 13840-56-7 | 0.005 |
| XXV | 219 | Phenol, alkylation products (mainly in para position) with C12-rich branched or linear alkyl chains from oligomerisation, covering any individual isomers and/ or combinations thereof (PDDP) | - | 0.050 |
| XXVI | 220 | (±)-1,7,7-trimethyl-3-[(4-methylphenyl)methylene]bicyclo[2.2.1]heptan-2-one covering any of the individual isomers and/or combinations thereof (4-MBC) | - | 0.050 |

SGS-CSTC Standards Technical Services Co., Ltd. Xiamen Branch 检验检测专用章 Inspection & Testing Services

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No. 31 Xianghong Road, Xiang'An Torch Industrial Zone, Xiamen, Fujian Province, China 361101 t (86-592) 5766995 www.sgsgroup.com.cn
中国·福建·厦门市火炬(翔安)产业区翔虹路31号 邮编: 361101 t (86-592) 5766995 sgs.china@sgs.com

| Batch | No. | Substance Name | CAS No. | RL (%) |
|---|---|---|---|---|
| XXVI | 221 | 6,6'-di-tert-butyl-2,2'-methylenedi-p-cresol (DBMC) | 119-47-1 | 0.050 |
| XXVI | 222 | S-(tricyclo[5.2.1.0'2,6]deca-3-en-8(or 9)-yl) O-(isopropyl or isobutyl or 2-ethylhexyl) O-(isopropyl or isobutyl or 2-ethylhexyl) phosphorodithioate | 255881-94-8 | 0.050 |
| XXVI | 223 | Tris(2-methoxyethoxy)vinylsilane | 1067-53-4 | 0.050 |
| XXVII | 224 | N-(hydroxymethyl)acrylamide | 924-42-5 | 0.050 |
| XXVIII | 225 | 1,1'-[ethane-1,2-diylbisoxy]bis[2,4,6-tribromobenzene] | 37853-59-1 | 0.050 |
| XXVIII | 226 | 2,2',6,6'-tetrabromo-4,4'-isopropylidenediphenol | 79-94-7 | 0.050 |
| XXVIII | 227 | 4,4'-sulphonyldiphenol | 80-09-1 | 0.050 |
| XXVIII | 228 | Barium diboron tetraoxide* | 13701-59-2 | 0.005 |
| XXVIII | 229 | Bis(2-ethylhexyl) tetrabromophthalate covering any of the individual isomers and/or combinations thereof | - | 0.050 |
| XXVIII | 230 | Isobutyl 4-hydroxybenzoate | 4247-02-3 | 0.050 |
| XXVIII | 231 | Melamine | 108-78-1 | 0.050 |
| XXVIII | 232 | Perfluoroheptanoic acid and its salts | - | 0.050 |
| XXVIII | 233 | reaction mass of 2,2,3,3,5,5,6,6-octafluoro-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)morpholine and 2,2,3,3,5,5,6,6-octafluoro-4-(heptafluoropropyl)morpholine* | - | 0.050 |
| XXIX | 234 | Bis(4-chlorophenyl) sulphone | 80-07-9 | 0.050 |
| XXIX | 235 | Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide | 75980-60-8 | 0.050 |
| XXX | 236 | 2,4,6-tri-tert-butylphenol | 732-26-3 | 0.050 |
| XXX | 237 | 2-(2H-benzotriazol-2-yl)-4-(1,1,3,3-tetramethylbutyl)phenol (UV-329) | 3147-75-9 | 0.050 |
| XXX | 238 | 2-(dimethylamino)-2-[(4-methylphenyl)methyl]-1-[4-(morpholin-4-yl)phenyl]butan-1-one | 119344-86-4 | 0.050 |
| XXX | 239 | Bumetrizole (UV-326) | 3896-11-5 | 0.050 |
| XXX | 240 | Oligomerisation and alkylation reaction products of 2-phenylpropene and phenol | - | 0.050 |
| XXXI | 241 | Bis(α,α-dimethylbenzyl) peroxide | 80-43-3 | 0.050 |
| XXXI | 242 | Triphenyl phosphate | 115-86-6 | 0.050 |
| XXXII | 243 | 6-[(C10-C13)-alkyl-(branched, unsaturated)-2,5-dioxopyrrolidin-1-yl]hexanoic acid | 2156592-54-8 | 0.050 |
| XXXII | 244 | O,O,O-triphenyl phosphorothioate | 597-82-0 | 0.050 |
| XXXII | 245 | Octamethyltrisiloxane | 107-51-7 | 0.050 |
| XXXII | 246 | Perfluamine | 338-83-0 | 0.050 |
| XXXII | 247 | Reaction mass of: triphenylthiophosphate and tertiary butylated phenyl derivatives | 192268-65-8 | 0.050 |
| XXXIII | 248 | 1,1,1,3,5,5,5-heptamethyl-3-[(trimethylsilyl)oxy]trisiloxane | 17928-28-8 | 0.050 |
| XXXIII | 249 | Decamethyltetrasiloxane | 141-62-8 | 0.050 |

SGS-CSTC Standards Technical Services Co., Ltd. Xiamen Branch 检验检测专用章 Inspection & Testing Services

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No. 31 Xianghong Road, Xiang'An Torch Industrial Zone, Xiamen, Fujian Province, China 361101 t (86-592) 5766995 www.sgsgroup.com.cn
中国·福建·厦门市火炬(翔安)产业区翔虹路31号 邮编: 361101 t (86-592) 5766995 sgs.china@sgs.com

| Batch | No. | Substance Name | CAS No. | RL (%) |
|---|---|---|---|---|
| XXXIII | 250 | tetra(sodium/potassium) 7-[(E)-{2-acetamido-4-[(E)-(4-{[4-chloro-6-({2-[(4-fluoro-6-{[4-(vinylsulfonyl)phenyl]amino}-1,3,5-triazine-2-yl)amino]propyl}amino)-1,3,5-triazine-2-yl]amino}-5-sulfonato-1-naphthyl)diazenyl]-5-methoxyphenyl}diazenyl]-1,3,6-naphthalenetrisulfonate; Reactive Brown 51 | - | 0.050 |
| XXXIV | 251 | 1,1'-(ethane-1,2-diyl)bis[pentabromobenzene] (DBDPE) | 84852-53-9 | 0.050 |
| XXXV | 252 | 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]diphenol (BPAF) and its salts | - | 0.050 |
| XXXV | 253 | n-hexane | 110-54-3 | 0.050 |
| / | 254 | Resorcinol | 108-46-3 | 0.050 |

SGS-CSTC Standards Technical Services Co., Ltd. Xiamen Branch


Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No. 31 Xianghong Road, Xiang'An Torch Industrial Zone, Xiamen, Fujian Province, China 361101 t (86-592) 5766995 www.sgsgroup.com.cn
中国·福建·厦门市火炬(翔安)产业区翔虹路31号 邮编: 361101 t (86-592) 5766995 sgs.china@sgs.com

Member of the SGS Group (SGS SA)

## ATTACHMENTS

### Testing Flow Chart




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Xiamen Branch
No. 31 Xianghong Road, Xiang'An Torch Industrial Zone, Xiamen, Fujian Province, China 361101 t (86-592) 5766995 www.sgsgroup.com.cn
中国·福建·厦门市火炬(翔安)产业区翔虹路31号 邮编: 361101 t (86-592) 5766995 sgs.china@sgs.com

**Sample photos:**



XMN26-0015759-0001.C001

SGS authenticate the photo on original report only

*** End of Report ***

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No. 31 Xianghong Road, Xiang'An Torch Industrial Zone, Xiamen, Fujian Province, China 361101 t (86-592) 5766995 www.sgsgroup.com.cn
中国·福建·厦门市火炬(翔安)产业区翔虹路31号 邮编: 361101 t (86-592) 5766995 sgs.china@sgs.com